

HERG

design Luigi Brembilla

HERG is a new radiator with parallel steel fins rising from the floor up to the ceiling and set at a distance of either 50 or 80

mm, as requested. It features large rectangular tubes arranged in regular patterns altering the heat output depending on their

step and height. Painted white sablé as standard, it can also be supplied in any of the 70 shades in the BREM colour list.

DIMENSIONS

Height: 180/200/220/240/260/280 cm


Width: from 17 to 106 cm

Depth: 12 cm

Depth from wall: 12 cm


ELEMENT STEP 50

L = n° el. x 5 cm step - 3 cm



ELEMENT STEP 80

L = n° el. x step 8 cm - 6 cm




Standard side fittings C $\triangle \nabla = 5$ cm

- D fitting on request without extra, page 292


REMOTE Fittings Art. REM 34,20€

Tapping centres $\triangle \nabla = (n^\circ \text{el.} - 2) \times 5$ cm step

Tapping centres $\triangle \nabla = (n^\circ \text{el.} - 2) \times 8$ cm step



Mod. HGB..



On request: HERG-B Model (HGB..) with side tubes on floor and reverse fittings $\triangle \nabla = L - 14$ cm

E.g.: HG 220/50 - 4el C 3/8" SB 5003

STANDARD PRODUCTION

White "sablé" paintwork - White art. 131 brackets

Tolerance ± 3 mm - Air vent $\varnothing 1/8"$

MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list (colored

brackets Art. 131V)

Special fittings, page 292

+15/25%

STANDARD FITTING

C $\varnothing 3/8"$ - D on request

BREM valves, pag. 294

